



IMAGE JET LITE 2

An Ink-Jet Transfer Paper for White & Very Light Colors

Recommended for Heat Press Application but may be Hand Ironed



PRINTING

The print side is the unprinted side of the sheet. Follow your printer instructions for loading the sheet and feed one sheet at a time. Choose the setting on your printer to reverse (flip or mirror) the image.

Suggested Printer Settings are:

HP – Iron on Transfer at normal or best quality

Epson – PLAIN PAPER at 360 or 720 dpi (360 for fine detail text, 720 for graphics)

Canon – T-shirt transfer at default settings

Lexmark – Iron on Transfer at Best quality either 600 or 1200 dpi

** not recommended for use in HP1200C or 1600C*


Epson 4000 using Transfer Inks-Enhanced Matte @ 720 print quality

Trim the paper close to the printed area, leaving only a small ¼” margin. Round the edges, when possible to improve product adhesion. This product is intended for white or very light colored garments. 100% cotton or 50/50 smooth finish t-shirts are suitable.



HAND IRONING

The iron should be preheated to the hottest setting and be completely emptied of water and set to the dry setting. Iron the shirt to remove any wrinkles and excess moisture. Iron on a safe hard surface like a counter top. Do not iron on a wood, glass or metal surface. Place the transfer face down on the garment. Iron, using the heaviest pressure, in straight lines vertically and horizontally over the entire image. Make sure to overlap the edges. A full page 8.5 x 11” will require 3 minutes of ironing and a half sheet will require 1.5 minutes. Fabric should cool completely and then paper should be peeled using an even motion.



HEAT PRESS

Set the heat press to 340 - 350 degrees F. Prepress fabric for a few seconds to remove wrinkle and excess moisture. Allow the garment to cool. Place the transfer face down on the garment. Using medium pressure, press for 20 seconds. (If you are transferring a sheet that is 11” x 17” you may want to press for 30 seconds.) The transfer paper can be removed while hot or you can allow the transfer to cool before removing paper in an even motion. A hot peel will leave a brighter initial image and a Matte finish. The cold peel will leave a heavier layer of coating over the image which can lead to better durability.

LAUNDERING

It is recommended that you wait at least 24 hours prior to washing the garment for the first time. For the initial wash, turn garment inside out and wash separately in cold water. Immediately remove garment from washer and put in dryer at warm setting. If left wet in washer the inks may bleed. This bleeding will end after a couple of washes and may not even occur with pigmented inks. **NEVER** use bleach. To iron the shirt, do not put iron directly on the transferred area.

STORAGE OF PAPER – Return unused portion of paper to a sealed bag. Keep product in a cool dry environment away from heating and cooling sources.